Notice of Allowability 10/814,631 KO ET AL. Examiner Art Unit THUAN T. NGUYEN 2618	
Notice of Allowability Examiner Art Unit	
THUAN T. NGUYEN 2618	
777777777007277	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initial of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.	
1. This communication is responsive to	
2. The allowed claim(s) is/are <u>1-16</u> .	
 3.	
International Bureau (PCT Rule 17.2(a)).	
* Certified copies not received:	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.	
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.	
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached	
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date	
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date	
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).	
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.	
Attachment(s)	
1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) — Branch Control of Contr	
3. Information Disclosure Statements (PTO/SB/08), 7. Examiner's Amendment/Comment Paper No./Mail Date	
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 8. ☑ Examiner's Statement of Reasons for Allowance	
9. Other	

Application/Control Number: 10/814,631

Art Unit: 2618

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-16 have been allowed.

Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance:

The closest prior art of record to Yeap et al (US Patent 6,961,762 B1) fails to teach or suggest each and every feature of claims 1, 3, and 10, particular the last three steps of claim 1 and similarly in other claims, wherein an automatic recognition system for use in a wireless LAN which can detect a new joining portable device and provide the same with the new recognition number in an existing wireless LAN, as the server system will temporarily cut off a connection between the server and an existing portable device and select a IP address retained in the server to establish a connection with the new joining portable device; after establishing the new connection with the new joining portable device, the server use the initial SSID to re-connect with the existing portable device and send the same to the new joining portable device; and after receiving it, the new joining portable device temporarily terminate a built-in IP thereof and replace the built-in IP address with an initial IP from the server.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/814,631 Page 3

Art Unit: 2618

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Hrastar and Lynn et al (PTO-892 attached) disclose systems related to WLAN with different approaches.

4. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to the New Central Fax number:

(571) 273-8300, (for Technology Center 2600 only)

Hand deliveries must be made to Customer Service Window,

Randolph Building, 401 Dulany Street, Alexandria, VA 22314.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony Thuan Nguyen whose telephone number is (571) 272-7895. The examiner can normally be reached on Monday-Friday from 10:00 AM to 7:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Urban, can be reached at (571) 272-7899.

Application/Control Number: 10/814,631 Page 4

Art Unit: 2618

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tony T. Nguyen

Primary Examiner Art Unit 2618

TN February 02, 2007